What is claimed is:

1. A compound for modulating tyrosine kinase activity of Formula I,

$$M^{1} \longrightarrow M^{2} \longrightarrow M^{3} \longrightarrow M^{4} \longrightarrow M^{2} \longrightarrow M^{2} \longrightarrow M^{3} \longrightarrow M^{4} \longrightarrow M^{3} \longrightarrow M^{4} \longrightarrow M^{4$$

or a pharmaceutically acceptable salt, hydrate, or prodrug thereof, wherein,

 R^1 is $C_1\text{-}C_3$ alkyl optionally substituted with between one and three R^{50} substituents;

 R^2 is selected from -H, halogen, trihalomethyl, -CN, -NH₂, -NO₂, -OR³, -N(R³)R⁴, -S(O)₀₋₂R⁴, -SO₂N(R³)R⁴, -CO₂R³, -C(=O)N(R³)R⁴, -N(R³)SO₂R⁴, -N(R³)C(=O)R³, -N(R³)CO₂R⁴, -C(=O)R³, optionally substituted lower alkyl, optionally substituted lower alkynyl;

 R^3 is -H or R^4 ;

R⁴ is selected from optionally substituted lower alkyl, optionally substituted aryl, optionally substituted lower arylalkyl, optionally substituted heterocyclyl, and optionally substituted lower heterocyclylalkyl; or

R³ and R⁴, when taken together with a common nitrogen to which they are attached, form an optionally substituted five- to seven-membered heterocyclyl, said optionally substituted five- to seven-membered heterocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P;

q is zero to five;

Z is selected from -OCH₂-, -O-, -S(O)₀₋₂-, -N(R⁵)CH₂-, and -NR⁵-;

R⁵ is -H or optionally substituted lower alkyl;

 M^1 is -H, C_1 - C_8 alkyl- L^2 - L^1 - optionally substituted by R^{50} , $G(CH_2)_{0-3}$ -, or $R^{53}(R^{54})N(CH_2)_{0-3}$ -; wherein G is a saturated five- to seven-membered heterocyclyl containing one or two annular heteroatoms and optionally substituted with between one and three R^{50} substituents; L^1 is -C=O- or -SO₂-; L^2 is a direct bond, -O-, or -

NH-; and R^{53} and R^{54} are independently C_1 - C_3 alkyl optionally substituted with between one and three R^{50} substituents;

M² is a saturated or mono- or poly-unsaturated C₃-C₁₄ mono- or fused-polycyclic hydrocarbyl optionally containing one, two, or three annular heteroatoms per ring and optionally substituted with between zero and four R⁵⁰ substituents; and

M³ is -NR⁹-, -O-, or absent;

M⁴ is -CH₂-, -CH₂CH₂-, -CH₂CH₂CH₂-, or absent;

R⁹ is -H or optionally substituted lower alkyl;

 R^{50} is -H, halo, trihalomethyl, $-OR^3$, $-N(R^3)R^4$, $-S(O)_{0\cdot 2}R^4$, $-SO_2N(R^3)R^4$, $-CO_2R^3$, $-C(=O)N(R^3)R^4$, $-C(=NR^{25})N(R^3)R^4$, $-C(=NR^{25})R^4$, $-N(R^3)SO_2R^4$, $-N(R^3)C(O)R^3$, $-NCO_2R^3$, $-C(=O)R^3$, optionally substituted alkoxy, optionally substituted lower arylalkyl, optionally substituted heterocyclyl, and optionally substituted lower heterocyclylalkyl; or

two of R⁵⁰, when taken together on the same carbon are oxo; or

two of R⁵⁰, when taken together with a common carbon to which they are attached, form a optionally substituted three- to seven-membered spirocyclyl, said optionally substituted three- to seven-membered spirocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P; and

R²⁵ is selected from -H, -CN, -NO₂, -OR³, -S(O)₀₋₂R⁴, -CO₂R³, optionally substituted lower alkenyl, and optionally substituted lower alkynyl.

- 2. The compound according to claim 1, wherein M³ is -CH₂-.
- 3. The compound according to claim 2, wherein Z is -NR⁵-.
- 4. The compound according to claim 3, wherein R¹ is CH₃-.
- 5. The compound according to claim 4, wherein

$$(R^2)_q$$
 of **I** is selected from: R^{2a} and R^{2b} , wherein R^{2a} is

selected from -H, F, Cl, and Br; and R^{2b} and R^{2c} are each independently selected from F, Cl, and Br.

6. The compound according to claim 5, wherein M^2 is a monocyclic five- to seven-membered heterocyclyl or a five- to six-membered heteroaryl, each optionally substituted with between one and three of R^{50} .

- 7. The compound according to claim 6, wherein M^2 is selected from the group consisting of morpholinyl, thiazolyl, oxadiazolyl, tetrahydropyranyl, and oxazepanyl, each optionally substituted with between one and three of R^{50} .
- 8. The compound according to claim 7, wherein M¹ is selected from the group consisting of -H, dimethylaminomethyl, (4-methylpiperizin-1-yl)methyl, piperidinyl, 1-methylpiperidin-4-yl, morpholin-4-ylmethyl, and phenylmethyl.
- 9. The compound according to claim 8, wherein

- 10. The compound according to claim 5, wherein M^1 is either a three- to seven-membered saturated carbocyclyl or a heterocyclyl with one or two annular heteroatoms, wherein the either of the aforementioned are optionally substituted with at least one of C_1 - C_3 alkyl, C_1 - C_3 alkoxy, C_1 - C_3 hydroxyalkyl, $R^{10}(R^{11})N$ -, and hydroxy, provided there are no geminal heteroatom substitutions; and wherein R^{10} and R^{11} are each independently C_1 - C_3 alkyl.
- 11. The compound according to claim 10, wherein

12. The compound according to claim 1, wherein $M^1-M^2-M^3-M^4$ together are according to formula Π ;

$$(X^1)_m$$
 $(X^3)_n$ $(X^1)_p$

 \mathbf{II}

wherein X^1 , X^2 , and optionally X^3 , represent the atoms of a saturated bridged ring system, said saturated bridged ring system containing up to three annular heteroatoms represented by any of X^1 , X^2 , and X^3 ; wherein,

- each X^1 is independently selected from -C(R⁶)R⁷-, -O-, -S(O)₀₋₂-, and -NR⁸-;
- each X² is independently a bridgehead methine optionally substituted with R⁶, or a bridgehead nitrogen;
- each X^3 is independently selected from -C(R⁶)R⁷-, -O-, -S(O)₀₋₂-, and -NR⁸-;
- provided, for X^1 , X^2 , and X^3 , there are no nitrogen-nitrogen annular bonds nor geminal di-nitrogen substitutions;

E is selected from -NR⁹-, -O-, and absent;

Y is either:

- a C_{1-3} alkylene linker, between the oxygen at the 7-position of the quinazoline ring system of I and either E, or when E is absent, any ring atom of the saturated bridged ring system except X^2 , when X^2 is a bridgehead nitrogen; provided there are at least two carbon atoms between the oxygen at the 7-position of the quinazoline ring system of I and either E, or when E is absent, any heteroatom represented by X^1 , X^2 or X^3 ; or
- Y is absent, when Y is absent, E is also absent; said saturated bridged ring system is directly attached to the oxygen at the 7-position of the quinazoline ring system of I via a carbon atom of said saturated bridged ring system;

m and p are each independently between one and four;

- n is between zero and two, when n is zero, then there is a direct single bond between the two bridgehead X^2 's;
- R^6 and R^7 are each independently selected from -H, halogen, trihalomethyl, -CN, -NH₂, -NO₂, -OR³, -N(R³)R⁴, -S(O)₀₋₂R⁴, -SO₂N(R³)R⁴, -CO₂R³, -C(O)N(R³)R⁴, -N(R³)SO₂R⁴, -N(R³)C(O)R³, -NCO₂R³, -C(O)R³, optionally substituted lower alkyl, optionally substituted aryl, optionally substituted lower heterocyclylalkyl; or

- R⁶ and R⁷, when taken together are oxo; or
- R⁶ and R⁷, when taken together with a common carbon to which they are attached, form a optionally substituted three- to seven-membered spirocyclyl, said optionally substituted three- to seven-membered spirocyclyl optionally containing at least one additional heteroatom selected from N, O, S, and P; and
- R^8 is selected from R^3 , $-SO_2N(R^3)R^4$, $-CO_2R^3$, $-C(O)N(R^3)R^4$, $-SO_2R^4$, and $-C(O)R^3$.
- with the proviso that when Y is a C_{1-3} alkylene linker; E is absent, Z is -NH- or -N(CH₃)-; R^1 is a C_{1-3} alkyl; R^2 is -H or halogen; n = 0; and, the atoms, X^1 , of one bridge of the saturated bridged ring system, when combined with both bridgehead atoms, X^2 , of the saturated bridged ring system, represent:
 - either a pyrrolidine ring or a piperidine ring, and any atom, X¹ or X², of either of said pyrrolidine ring or said piperidine ring is attached to Y, then the other bridge of said saturated bridged ring system cannot be any one of -OC(O)CH₂-, -CH₂OC(O)-, -OC(O)CH₂CH₂-, -CH₂OC(O)CH₂-, -CH₂OC(O)-, -OC(O)CH₂NH-, -OC(O)CH₂N(C₁₋₄alkyl)-, and -OC(O)CH₂O-; or
 - either a piperazine ring or a 4-(C₁₋₄ alkyl)-piperazine ring, and any atom, X¹ or X², of either of said piperazine ring or said 4-(C₁₋₄ alkyl)-piperazine ring is attached to Y, then the other bridge of said saturated bridged ring system, only when attached via the 2- and the 3-position of either of said piperazine ring or said 4-(C₁₋₄ alkyl)-piperazine ring, cannot be one of -CH₂OC(O)CH₂-, -CH₂CH₂OC(O)-, and either of the two aforementioned bridges optionally substituted by one or two C₁₋₂alkyl groups; or
 - a piperazine ring, and any atom, X^1 or X^2 , of said piperazine ring is attached to Y, then the other bridge of said saturated bridged ring system, only when attached via the 3- and the 4-position of said piperazine ring, cannot be one of $-C(O)OCH_2CH_2$ -, $-CH_2OC(O)CH_2$ -, and either of the two aforementioned bridges optionally substituted by one or two C_{1-2} alkyl groups, and only when either of the two aforementioned bridges are attached to the 3-position of said piperazine ring via their left-hand end as depicted above; or

a 2-oxomorpholine ring, said 2-oxomorpholine ring attached to Y via its 4-position, then the other bridge of said saturated bridged ring system, only when attached via the 5- and the 6-position of said 2-oxomorpholine ring, cannot be one of -(CH₂)_g-, -CH₂WCH₂-, -CH₂WCH₂-, and -CH₂CH₂WCH₂-, wherein W is -O-, -S(O)₀₋₂-, -NH-, or -N(C₁₋₄ alkyl)-wherein g is 2, 3, or 4.

- 13. The compound according to claim 12, wherein Z is -NR⁵-.
- 14. The compound according to claim 13, wherein R² is selected from -H, halogen, trihalomethyl, -CN, -NO₂, -OR³, and optionally substituted lower alkyl.
- 15. The compound according to claim 14, wherein R^1 is an unsubstituted C_{1-3} alkyl.
- 16. The compound according to claim 15, wherein the saturated bridged ring system has a geometry selected from the group consisting of [4.4.0], [4.3.0], [4.2.0], [4.1.0], [3.3.0], [3.2.0], [3.1.0], [3.3.3], [3.3.2], [3.3.1], [3.2.2], [3.2.1], [2.2.2], and [2.2.1].
- 17. The compound according to claim 16, wherein Y is selected from -CH₂CH₂-, -CH₂-, and absent.
- 18. The compound according to claim 17, wherein q =one to three.
- 19. The compound according to claim 18, wherein R⁵ is -H.
- 20. The compound according to claim 19, wherein \mathbb{R}^1 is methyl.
- 21. The compound according to claim 20, wherein the saturated bridged ring system has a geometry selected from the group consisting of [4.4.0], [4.3.0], [4.2.0], [4.1.0], [3.3.0], [3.2.0], and [3.1.0].
- 22. The compound according to claim 21, wherein said saturated bridged ring system contains one or two annular nitrogens, said one or two annular nitrogens are selected from $-NR^8$ -, when X^1 , and a bridgehead nitrogen, when X^2 .
- 23. The compound according to claim 22, wherein E is absent.
- 24. The compound according to claim 23, wherein said saturated bridged ring system is according to formula III;

Ш

wherein A is selected from -O-, -S(O)₀₋₂-, -NR⁸-, and absent; and e is 0 or 1.

25. The compound according to claim 24, wherein Y is -CH₂-.

26. The compound according to claim 25, wherein A is selected from -NR⁸-, wherein R^8 is selected from -H, optionally substituted lower alkyl, -CO₂R³, -C(O)N(R³)R⁴, -SO₂R⁴, and -C(O)R³; -O-; and absent.

27. The compound according to claim 26, wherein

$$(R^2)_q$$
 of I is selected from: R^{2a} and R^{2a} , wherein R^{2a} ,

R^{2b}, and R^{2c} are each independently selected from F, Cl, and Br.

- 28. The compound according to claim 27, wherein R^{2a} is F, R^{2b} is Cl, and R^{2c} is either Cl or Br.
- 29. The compound according to claim 21, wherein said saturated bridged ring system is according to formula IV;

wherein R^{10} is selected from -H, optionally substituted alkyl, and -OR¹³; and R^{11} and R^{12} are each independently selected from -H, -CF₃, -F, -N(R³)R⁴, -N(C=O)R³, -N(R³)SO₂R³, -S(O)₀₋₂R¹³, and -OR¹³; or


R¹⁰ is selected from -H, and -OR¹³; and

R¹¹ and R¹², when taken together, are oxo, exo-alkenyl, or when taken together with the carbon to which they are attached, form a three- to seven-membered spirocyclyl;

R¹³ is selected from -H, -C(=O)R⁴, optionally substituted lower alkylidyne, optionally substituted lower arylalkylidyne, optionally substituted lower arylalkylidyne, optionally substituted lower alkylidene, optionally substituted lower alkylidene, optionally substituted lower alkyl, optionally substituted lower arylalkyl, optionally substituted aryl, optionally substituted lower heterocyclylalkyl, and optionally substituted heterocyclyl;

or two R^{13} 's, when taken together, form 1) a corresponding spirocyclic ketal from R^{11} , R^{12} and the carbon to which they are attached, when R^{11} and R^{12} are both -OR¹³, or 2) a corresponding cyclic ketal from R^{10} and one of R^{11} and R^{12} , and the corresponding carbons to which they are attached, when R^{10} is -OR¹³, and at least one of R^{11} and R^{12} is also -OR¹³.

- 30. The compound according to claim 29, wherein Y is either -CH₂- or absent.
- 31. The compound according to claim 30, wherein one of R^{11} and R^{12} is $-OR^{13}$, wherein R^{13} is selected from -H, -C(O) R^4 , and optionally substituted lower alkyl; and R^{10} and the other of R^{11} and R^{12} are both -H.
- 32. The compound according to claim 30, wherein one of R^{11} and R^{12} is -F; and R^{10} and the other of R^{11} and R^{12} are both -H.
- 33. The compound according to claim 30, wherein R¹³ is an alkyl group containing at least one fluorine substitution thereon.
- 34. The compound according to claim 30, wherein q is two or three.
- 35. The compound according to claim 34, wherein each R^2 is independently selected from -F, -Cl, -Br, -CF₃, -CH₃, and -OR²⁵; wherein R^{25} is either methyl or aryl, each optionally substituted with one to three halogens.
- 36. The compound according to claim 22, wherein said saturated bridged ring system is according to either formula V or formula VI;



wherein R^8 is selected from -H, optionally substituted lower alkyl, -CO₂R³, -C(O)N(R³)R⁴, -SO₂R⁴, and -C(O)R³.

- 37. The compound according to claim 36, wherein Y is either -CH₂- or absent.
- 38. The compound according to claim 37, wherein

$$(R^2)_q \quad \text{of I is selected from:} \qquad R^{2a} \qquad \text{and} \qquad R^{2b} \qquad R^{2b}, \text{ wherein } R^{2a},$$

R^{2b}, and R^{2c} are each independently selected from F, Cl, and Br.

- 39. The compound according to claim 38, wherein R^{2a} is F, R^{2b} is Cl, and R^{2c} is either Cl or Br.
- 40. The compound according to claim 39, wherein R⁸ is methyl or ethyl.
- 41. The compound according to claim 23, wherein said saturated bridged ring system is according to formula VII;

VII

wherein A is selected from -O-, -S(O)₀₋₂-, -NR⁸-, -CR⁶R⁷-, and absent.

- 42. The compound according to claim 41, wherein R³ is selected from -H and optionally substituted alkyl.
- 43. The compound according to claim 42, wherein A is either $-C(R^6)R^7$ or absent.
- 44. The compound according to claim 43, wherein A is either -CH₂- or absent.
- 45. The compound according to claim 44, wherein Y is -CH₂-.
- 46. The compound according to claim 45, wherein q = 3.
- 47. The compound according to claim 46, wherein

$$(R^2)_q$$
 of I is selected from: R^{2a} and R^{2a} , wherein R^{2a} , wherein R^{2a} ,

R^{2b}, and R^{2c} are each independently selected from F, Cl, and Br.

- 48. The compound according to claim 47, wherein R^{2a} is F, R^{2b} is Cl, and R^{2c} is either Cl or Br.
- 49. The compound according to claim 20, wherein the saturated bridged ring system has a geometry selected from the group consisting of [3.3.1], [3.2.1], and [2.2.1].
- 50. The compound according to claim 49, wherein said saturated bridged ring system contains one or two annular nitrogens, said one or two annular nitrogens are selected from -NR⁸-, when X¹, and a bridgehead nitrogen, when X².
- 51. The compound according to claim 50, wherein said saturated bridged ring system is according to formula VIII or formula IX;

$$(R^{26})_{0-3}$$

VIII

IX

wherein R^8 is selected from -H, optionally substituted lower alkyl, -CO₂ R^3 , -C(O)N(R^3) R^4 , -SO₂ R^4 , and -C(O) R^3 ; and R^{26} is C₁₋₃ alkyl.

- 52. The compound according to claim 51, wherein Y is $-CH_2CH_2$; and E is either absent or $-N(R^9)$ -.
- 53. The compound according to claim 52, wherein q = 3.
- 54. The compound according to claim 53, wherein

$$(R^2)_q$$
 of **I** is selected from: R^{2a} and R^{2a} , wherein R^{2a} ,

R^{2b}, and R^{2c} are each independently selected from F, Cl, and Br.

55. The compound according to claim 54, wherein R^{2a} is F, R^{2b} is Cl, and R^{2c} is either Cl or Br.

56. The compound according to claim 55, wherein R⁸ is methyl or ethyl.

57. The compound according to claim 1, selected from the following:

Entry	Name	Structure
1	N-(3,4-dichloro-2-fluorophenyl)-7- ({[(3aR,5r,6aS)-2-(1- methylethyl)octahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	→NHO → HN → CI
2	N-(4-bromo-3-chloro-2-fluorophenyl)-7- ({[(3aR,5r,6aS)-2-(1- methylethyl)octahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—Br
3	7-({[(3aR,5r,6aS)-2- acetyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-N-(4-bromo-3-chloro-2- fluorophenyl)-6-(methyloxy)quinazolin-4- amine	ON HON BIT ON FICE
4	N-(4-bromo-3-chloro-2-fluorophenyl)-6- (methyloxy)-7-{[(3aR,5r,6aS)- octahydrocyclopenta[c]pyrrol-5- ylmethyl]oxy}quinazolin-4-amine	HN F CI
5	ethyl (3aR,6aS)-5-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yi]oxy}methyl)hexahydrocyclopenta[c]pyrrole-2(1H)-carboxylate	HN Br
6	N-(4-bromo-3-chloro-2-fluorophenyl)-6- (methyloxy)-7-({[(3aR,5r,6aS)-2- (methylsulfonyl)octahydrocyclopenta[c]pyrrol- 5-yl]methyl}oxy)quinazolin-4-amine	O HN Br
7	N-(3,4-dichloro-2-fluorophenyl)-7- ({[(3aR,5r,6aS)-2- ethyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN-CI N-N F CI
8	N-(3,4-dichloro-2-fluorophenyl)-6- (methyloxy)-7-({[(3aR,5r,6aS)-2-(2- methylpropyl)octahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)quinazolin-4-amine	HN-CI N-N F CI

[
9	N-(3,4-dichloro-2-fluorophenyl)-7- ({[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	-N-N-F CI
10	N-(4-bromo-3-chloro-2-fluorophenyl)-7- ([[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—Br
11	N-(3-chloro-2,4-difluorophenyl)-7- ({[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—F CI
12	N-(4,5-dichloro-2-fluorophenyl)-7- ({[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN F
13	N-(4-bromo-5-chloro-2-fluorophenyl)-7- ({[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—Br
14	N-(4-bromo-2,3-dichlorophenyl)-7- ({[(3aR,5s,6aS)-2- methyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—Br
15	N-(3,4-dichlorophenyl)-7-({[(3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	HN—CI
16	N-(4-bromo-3-chloro-2-fluorophenyl)-7- ({[(3aR,5r,6aS)-2- ethyloctahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN Br CI N F CI
17	N-(4-bromo-3-chloro-2-fluorophenyl)-6- (methyloxy)-7-({[(3aR,5r,6aS)-2-(2- methylpropyl)octahydrocyclopenta[c]pyrrol-5- yl]methyl}oxy)quinazolin-4-amine	HN F CI

,	
N-(4-bromo-2,3-dichlorophenyl)-7- {[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br
N-(4,5-dichloro-2-fluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	N CI
N-(4-bromo-5-chloro-2-fluorophenyl)-7- {[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	N CI
N-(3-chloro-2,4-difluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	F CI HN-F F
N-(3,4-dichloro-2-fluorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	N—N—N—N—N—CI
N-(4-bromo-3-chloro-2-fluorophenyl)-7- {[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br
N-(3-chloro-2,4-difluorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN-FCI HN-FF
N-(3,4-dichlorophenyl)-7-[(hexahydro-1H- [1,4]oxazino[3,4-c][1,4]oxazin-3- ylmethyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI N—N
N-(4,5-dichloro-2-fluorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN CI N F
	[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(4,5-dichloro-2-fluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(4-bromo-5-chloro-2-fluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3-chloro-2,4-difluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3,4-dichloro-2-fluorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3-chloro-2,4-difluorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{(hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{(hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine

WO 2004/006846

N-(4-bromo-2,3-dichlorophenyl)-7-{[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	CI CI Br
N-(4-bromo-5-chloro-2-fluorophenyl)-7- {[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN Br
N-(3,4-dichloro-2-fluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN FCI
N-(4-bromo-3-chloro-2-fluorophenyl)-7- {[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN Br
N-(3,4-dichlorophenyl)-7-{[(3R,8aR)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI
N-(4-bromo-5-chloro-2-fluorophenyl)-7- {[(3S,8aS)-hexahydro-1H-pyrrolo[2,1- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br
, . N-(3,4-dichlorophenyl)-7-{[(3S,8aR)- hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3- ylmethyl]oxy}-6-(methyloxy)quinazolin-4- amine	HN-CI N-N
N-(3,4-dichlorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI N—N
N-(3,4-dichlorophenyl)-7-{[(3R,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI
	3-ylmethyl]oxy]-6-(methyloxy)quinazolin-4-amine N-(4-bromo-5-chloro-2-fluorophenyl)-7- {[(3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(3,4-dichloro-2-fluorophenyl)-7-{[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(4-bromo-3-chloro-2-fluorophenyl)-7- {[(3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[(3R,8aR)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[(3S,8aR)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[(3R,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine

	· ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·-	
36	N-(3,4-dichloro-2-fluorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—FCI HN—CI N—N
37	N-(4-bromo-3-chloro-2-fluorophenyl)-7- {[(3S,8aS)-hexahydro-1H-pyrrolo[2,1- c][1,4]oxazin-3-ylmethyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br
38	N-(3-chloro-2,4-difluorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN FCI HN F N N N
39	N-(4-bromo-2,3-dichlorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	CI CI Br
40	N-(4,5-dichloro-2-fluorophenyl)-7-{[(3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine	N-N CI
41	1,4:3,6-dianhydro-5-({[4-[(4-bromo-5-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-5- deoxy-2-O-methyl-D-xylo-hexitol	HN—Br CI
42	1,4:3,6-dianhydro-5-deoxy-5-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-O-methyl-D-glucitol	HN—CI
43	1,4:3,6-dianhydro-5-deoxy-5-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-O-methyl-D-xylo-hexitol	HN—CI
44	1,4:3,6-dianhydro-5-({[4-[(4-bromo-3-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-5- deoxy-2-O-methyl-D-xylo-hexitol	HN F CI

45	1,4:3,6-dianhydro-5-({[4-[(3-chloro-2,4- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-5- deoxy-2-O-methyl-D-xylo-hexitol	HN-F HONF CI
46	1,4:3,6-dianhydro-5-({[4-[(4-bromo-2,3- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-5- deoxy-2-O-methyl-D-glucitol	HN—Br
47	1,4:3,6-dianhydro-2-deoxy-2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-5-O-methyl-D-threo-hexitol	HN—CI
48	1,4:3,6-dianhydro-5-deoxy-5-({[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-O-methyl-D-glucitol	HN CI
49	(3S,9aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one	HN F CI
50	(3S,9aR)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one	NH NH O HN F CI
51	(3S,8aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one	HN-NH O-HN-CI
52	(3S,8aR)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one	HN-NH O-HN-CI
53	(3S,8aS)-3-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one	HN-NH O-Br

54	(3S,8aS)-3-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-2-methylhexahydropyrrolo[1,2-a]pyrazin-1(2H)-one	HN—CI N—N F CI
55	N-(3,4-dichlorophenyl)-7-({2-[(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)amino]ethyl}oxy)-6-(methyloxy)quinazolin-4-amine	-NON-NH NON-CI
56	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(8aR)-tetrahydro-1H-[1,3]thiazolo[4,3- c][1,4]oxazin-6-ylmethyl]oxy}quinazolin-4- amine	S N N N N CI HN CI
57	N-(3,4-dichlorophenyl)-7-{[2-(8-methyl-8- azabicyclo[3.2.1]oct-3-yl)ethyl]oxy}-6- (methyloxy)quinazolin-4-amine	N CI
58	N-(3,4-dichlorophenyl)-7-{[(8-methyl-8- azabicyclo[3.2.1]oct-3-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	-N CI
59	N-(3,4-dichlorophenyl)-7-{[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]oxy}-6-(methyloxy)quinazolin-4-amine	
60	N-(3,4-dichlorophenyl)-7-[(8-methyl-8- azabicyclo[3.2.1]oct-3-yl)oxy]-6- (methyloxy)quinazolin-4-amine	N CI HN CI
61	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-5-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	HN Br
62	1,4:3,6-dianhydro-2-O-[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol	HN-CI N-N F CI

	,	
63	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yi]-5-O-methyl-L- iditol	HN—Br
64	1,4:3,6-dianhydro-2-O-methyl-5-O-{6- (methyloxy)-4-[(2,3,4- trichlorophenyl)amino]quinazolin-7-yl}-L-iditol	HN—CI N CI CI
65	1,4:3,6-dianhydro-5-O-[4-[(3,4- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-O-methyl-D- xylo-hexitol	HN-CI N-N CI
66	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-2,3- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	HN—Br N Ci Ci
67	dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6-(methyloxy)- quinazolin-7-yl]-L-sorbose ethylene glycol acetal	HN—Br OHON CI
68	1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2,4- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	HN-F CI
69	1,4:3,6-dianhydro-2-O-[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol	HN—CI HN—N F
70	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O- (difluoromethyl)-L-iditol	F O H O HN Br
71	1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-iditol	HN— FCI

	·	
72	1,4:3,6-dianhydro-2-O-[4-[(3,4- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	HN—CI N—N
73	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	HN——Br
74	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-ethyl-L-iditol	CI HN—Br
75	1,4:3,6-dianhydro-2-O-[4-[(3-bromo-2- methylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	Br HN HN N
76	1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2- methylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-L- iditol	CI HN-NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
77	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-deoxy-D-xylo- hexitol	HN—Br
78	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-D- glucitol	CI HN—Br N—N
79	methyl 3,6-anhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-O-methyl- alpha-L-idofuranoside	O, HO HO Br
80	3,6-anhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-1,2-O-(1- methylethylidene)-beta-L-xylo-hexofuranose	HN—Br

WO 2004/006846

81	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-deoxy-5- methylidene-D-xylo-hexitol	HN—Br
82	methyl 3,6-anhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-O-methyl-beta- L-idofuranoside	HN—Br
83	N-(3,4-dichloro-2-fluorophenyl)-6- (methyloxy)-7-[(octahydro-2H-quinolizin-3- ylmethyl)oxy]quinazolin-4-amine	N F CI HN CI
84	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6- (methyloxy)-4-[(2,3,4- trifluorophenyl)amino]quinazolin-7-yl}-D-iditol	F'I HO N N N N N N N N N N N N N N N N N N
85	1,4:3,6-dianhydro-5-O-[4-[(2-chloro-4- fluorophenyl)amino]-6-(methyloxy)quinazolin- 7-yl]-2-deoxy-2-fluoro-D-iditol	F''H'O N-N
86	1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol	F'IL O HN HN HN N N N N N N N N N N N N N N
87	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,6- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F'' H'O N F
88	1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol	F'H'O N N N
89	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- {[4-fluoro-3-(trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-D-iditol	F. H. O. H. O. H. N. F.

PCT/US2003/021923

90	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F"HIO N F
91	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F"H"O NO
92	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,3- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F"H"ON F F
93	1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2- fluorophenyl)amino]-6-(methyloxy)quinazolin- 7-yl]-2-deoxy-2-fluoro-D-iditol	F'L'N N F
94	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F. H. O. H. N. N. F
95	1,4:3,6-dianhydro-5-O-[4-[(3-chloro-4- fluorophenyl)amino]-6-(methyloxy)quinazolin- 7-yl]-2-deoxy-2-fluoro-D-iditol	F"HON CI
96	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'' N CI
97	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4- dichloro-2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F'' HN F CI
98	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-5-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'' HO N F

99	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6- (methyloxy)-4-[(2,4,5- trifluorophenyl)amino]quinazolin-7-yl}-D-iditol	F"H"ON NO N
100	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6- (methyloxy)-4-[(2,4,6- trifluorophenyl)amino]quinazolin-7-yl}-D-iditol	F"HN N F
101	1,4:3,6-dianhydro-5-O-[4-({4-[(4- chlorophenyl)oxy]-3,5-difluorophenyl}amino)- 6-(methyloxy)quinazolin-7-yl]-2-deoxy-2- fluoro-D-iditol	F'', H'O N F CI
102	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro- 2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'I H'O N F CI
103	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2,3- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'O N CI CI
104	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro- 5-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F"H"ON NO CI
105	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(4,5- dichloro-2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F''H'ON NON F
106	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-{6- (methyloxy)-4-[(2,3,4- trichlorophenyl)amino]quinazolin-7-yl}-D-iditol	F''H'O N CI CI
107	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-(6- (methyloxy)-4-[(3,4,5- trichlorophenyl)amino]quinazolin-7-yl}-D-iditol	F''H'O N CI

108	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol	F"H"ON N F
109	1,4:3,6-dianhydro-5-O-[4-[(4-chloro-2- fluorophenyl)amino]-6-(methyloxy)quinazolin- 7-yl]-2-deoxy-2-fluoro-D-iditol	F"H"O N F
110	1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2- methylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F"H"ON NON NON NON NON NON NON NON NON NON
111	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F"H"ON F
112	1,4:3,6-dianhydro-5-O-[4-[(2- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F"H"ON CI
113	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- [(2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-D-iditol	F"H"ON N F
114	1,4:3,6-dianhydro-5-O-[4-[(3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'H'ON NO CI
115	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- [(4-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-D-iditol	F'' H'O HN
116	1,4:3,6-dianhydro-5-O-[4-[(4- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'O N-N

,	
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F"H"O N CI
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F'H'N CI
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F''H'ONNONNONNONNONNONNONNONNONNONNONNONNONN
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4,6- difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- . D-iditol	F''N Br
1,4:3,6-dianhydro-5-O-[4-{[4-chloro-3- (trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'' H'O N F F
1,4:3,6-dianhydro-5-O-[4-{[2-chloro-5- (trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'H'N FF
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- {[2-fluoro-3-(trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-D-iditol	F''H'O N F F F
1,4:3,6-dianhydro-5-O-[4-{[2-bromo-5- (trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	Br HN HN N N F F
1,4:3,6-dianhydro-5-O-[4-{[2-bromo-4- (trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	Br. FF F
	dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol 1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol 1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol 1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4,6-difluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol 1,4:3,6-dianhydro-5-O-[4-[(4-chloro-3-(trifluoromethyl)phenyl]amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol 1,4:3,6-dianhydro-5-O-[4-[(2-chloro-5-(trifluoromethyl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol 1,4:3,6-dianhydro-5-O-[4-[(2-bromo-5-(trifluoromethyl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol 1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4-(trifluoromethyl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol

126	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- {[4-fluoro-2-(trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-D-iditol	F"H"ON NON NON NON NON NON NON NON NON NON
127	1,4:3,6-dianhydro-5-O-[4-{[3-bromo-5- (trifluoromethyl)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'H'O N F F
128	1,4:3,6-dianhydro-5-O-[4-[(2- bromophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'ONNONNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
129	1,4:3,6-dianhydro-5-O-[4-[(3- bromophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F"H"O N Br
130	1,4:3,6-dianhydro-5-O-[4-[(4- bromophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'O N N N
131	1,4:3,6-dianhydro-5-O-[4-[(3-bromo-4- methylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F" HO N Br
132	1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2- methylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'O N-N
133	1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5- dimethylphenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F" HO N N
134	1,4:3,6-dianhydro-5-O-[4-{[2,5-bis(methyloxy)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol	F''L'O HN O-

135	1,4:3,6-dianhydro-5-O-[4-{[5-chloro-2,4- bis(methyloxy)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F''H'ON CI
136	1,4:3,6-dianhydro-5-O-[4-{[4-chloro-2,5- bis(methyloxy)phenyl]amino}-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro- D-iditol	F'H'N N O O
137	1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-iditol	F. H. N.
138	N-(3,4-dichlorophenyl)-7-[({5- [(dimethylamino)methyl]-1,2,4-oxadiazol-3- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	N CI N CI
139	N-(3,4-dichlorophenyl)-7-[({3- [(dimethylamino)methyl]-1,2,4-oxadiazol-5- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI N—N—CI
140	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({3- [(4-methylpiperazin-1-yl)methyl]-1,2,4- oxadiazol-5-yl}methyl)oxy]quinazolin-4-amine	N N CI
141	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- piperidin-4-yl-1,2,4-oxadiazol-3- yl)methyl]oxy}quinazolin-4-amine	HN CI
142	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[5- (1-methylpiperidin-4-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)quinazolin-4-amine	N CI N CI
143	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[3- (morpholin-4-ylmethyl)-1,2,4-oxadiazol-5- yl]methyl}oxy)quinazolin-4-amine	HN-CI N-N-CI

144	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- [(morpholin-2-ylmethyl)oxy]quinazolin-4- amine	HN CI
145	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5-piperidin-2-yl-1,2,4-oxadiazol-3-yl)methyl]oxy}quinazolin-4-amine	HN—CI
146	N-(3,4-dichlorophenyl)-7-[({2- [(dimethylamino)methyl]-1,3-thiazol-4- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI N—N—CI
147	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (phenylmethyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	——————————————————————————————————————
148	1,1-dimethylethyl 2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)morpholine-4-carboxylate	HN—CI
149	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (morpholin-4-ylmethyl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	
150	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({2- [(4-methylpiperazin-1-yl)methyl]-1,3-thiazol- 4-yl}methyl)oxy]quinazolin-4-amine	-N S N CI
151	N-(3,4-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI N—N CI
152	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(1,4-oxazepan-2-ylmethyl)oxy]quinazolin-4-amine	HN—CI

2 6

153	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- piperidin-3-yl-1,2,4-oxadiazol-3- yl)methyl]oxy}quinazolin-4-amine	HN CI
154	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[5- (1-methylpiperidin-2-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)quinazolin-4-amine	N N CI
155	N-(3,4-dichlorophenyl)-7-{[(4-methyl-1,4- oxazepan-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI N—N CI
156	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[5- (1-methylpiperidin-3-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)quinazolin-4-amine	HN—CI N—N—CI
157	N-(3,4-dichlorophenyl)-7-({[5-(1,1-dimethylethyl)-1,2,4-oxadiazol-3-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	HN—CI
158	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- phenyl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	HN-CI SNNN CI
159	7-[(2,1,3-benzothiadiazol-4-ylmethyl)oxy]-N-(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine	N,S,N O HN CI
160	N-(3,4-dichlorophenyl)-7-{[(5-methylisoxazol- 3-yl)methyl]oxy}-6-(methyloxy)quinazolin-4- amine	HN—CI
161	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- methyl-4-phenylisoxazol-3- yl)methyl]oxy}quinazolin-4-amine	O-N O HN-CI

162	7-[(1,3-benzothiazol-2-ylmethyl)oxy]-N-(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine	S O HN CI
163	7-[(2,1,3-benzoxadiazol-5-ylmethyl)oxy]-N- (3,4-dichlorophenyl)-6-(methyloxy)quinazolin- 4-amine	ON CI
164	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (2-thienyl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	HN—CI CI S
165	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(1- phenyl-1H-pyrazol-4- yl)methyl]oxy}quinazolin-4-amine	HN—CI NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
166	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({5- [3-(trifluoromethyl)phenyl]-1,2,4-oxadiazol-3- yl}methyl)oxy]quinazolin-4-amine	F F O HN CI
167	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({5- [4-(trifluoromethyl)phenyl]-1,2,4-oxadiazol-3- yl}methyl)oxy]quinazolin-4-amine	F F O HN CI
168	7-({[3-(4-chlorophenyl)-1,2,4-oxadiazol-5- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI N—N—CI
169	7-({[6-bromo-2-(methyloxy)naphthalen-1- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	Br — O HN— CI
170	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(1,3- thiazol-4-ylmethyl)oxy]quinazolin-4-amine	S N CI

171	7-{[(6-chloropyridin-3-yl)methyl]oxy}-N-(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine	CI—N—N—N—CI
172	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- [(pyridin-4-ylmethyl)oxy]quinazolin-4-amine	HN—CI
173	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- methyl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	HN—CI SN CI
174	7-{[(6-chloro-4H-1,3-benzodioxin-8- yl)methyl]oxy}-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI CI
175	7-{[(5-chloro-1-methyl-3-phenyl-1H-pyrazol- 4-yl)methyl]oxy}-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI N CI
176	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[1-methyl-3-(trifluoromethyl)-1H-thieno[2,3-c]pyrazol-5-yl]methyl}oxy)quinazolin-4-amine	HN—CI
177	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(3-phenylisoxazol-5-yl)methyl]oxy}quinazolin-4-amine	HN—CI
178	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(2,4,6- trimethylphenyl)methyl]oxy}quinazolin-4- amine	HN—CI
179	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- [(pyridin-3-ylmethyl)oxy]quinazolin-4-amine	HN—CI

180	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({3- [4-(methyloxy)phenyl]isoxazol-5- yl}methyl)oxy]quinazolin-4-amine	HN-CI N-ON-CI N-N-CI
181	N-(3,4-dichlorophenyl)-7-({[5-[(2,4- dichlorophenyl)oxy]-1-methyl-3- (trifluoromethyl)-1H-pyrazol-4-yl]methyl}oxy)- 6-(methyloxy)quinazolin-4-amine	CI CI CI N CI N CI
182	7-[(cyclopropylmethyl)oxy]-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	HN—CI
183	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- [(tetrahydrofuran-2-ylmethyl)oxy]quinazolin- 4-amine	HN—CI
184	7-(cyclopentyloxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
185	7-[(2-cyclohexylethyl)oxy]-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	HN-CI N-N CI
186	7-[(cyclohexylmethyl)oxy]-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	HN—CI
187	7-[(cyclobutylmethyl)oxy]-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	HN—CI
188	N-(3,4-dichlorophenyl)-7-{[2-(1,3-dioxolan-2- yl)ethyl]oxy}-6-(methyloxy)quinazolin-4- amine	HN—CI

189	N-(3,4-dichlorophenyl)-7-{[2-(1,3-dioxan-2-yl)ethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI
190	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(2-morpholin-4-ylethyl)oxy]quinazolin-4-amine	O-NO-N-N-CI
191	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(2- pyrrolidin-1-ylethyl)oxy]quinazolin-4-amine	HN—CI
192	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(2- piperidin-1-ylethyl)oxy]quinazolin-4-amine	HN-CI
193	2-(2-{[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}ethyl)-1H- isoindole-1,3(2H)-dione	HN—CI CI
194	methyl 6-O-[4-[(2,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7-yl]-alpha-D- glucopyranoside	HO OH CI
195	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(2-morpholin-4-yl-2-oxoethyl)oxy]quinazolin-4-amine	O O HN CI
196	1,1-dimethylethyl 2-[3-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,2,4-oxadiazol-5-yl]piperidine-1-carboxylate	N CI
197	1,1-dimethylethyl 4-[3-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,2,4-oxadiazol-5-yl]piperidine-1-carboxylate	HN-CI N-N-CI

r		
198	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (4-pyrrolidin-1-ylphenyl)-1,3-thiazol-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI
199	N-(3,4-dichlorophenyl)-7-[({4-[4- (diethylamino)phenyl]-1,3-thiazol-2- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI N—N—CI
200	5-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-1,3- thiazol-4-yl]-2-hydroxybenzamide	H ₂ N O O O O O O O O O O O O O O O O O O O
201	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pyridin-3-yl-1,3-thiazol-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI S N—N CI
202	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pyridin-2-yl-1,3-thiazol-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI N—N—CI
203	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pyridin-4-yl-1,3-thiazol-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI S N—N CI
204	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- morpholin-4-yl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	S N CI
205	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(3- morpholin-4-yl-1,2,4-oxadiazol-5- yl)methyl]oxy}quinazolin-4-amine	N-O O HN CI
206	N-(3,4-dichlorophenyl)-7-({[3- (dimethylamino)-1,2,4-oxadiazol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—CI N—N CI

207	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [(4-methylpiperazin-1-yl)methyl]-1,3-thiazol- 2-yl}methyl)oxy]quinazolin-4-amine	N N CI
208	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- [(4,5,6,7-tetrahydro[1,3]thiazolo[5,4-c]pyridin- 2-ylmethyl)oxy]quinazolin-4-amine	HN CI
209	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (morpholin-4-ylmethyl)-1,3-thiazol-2- yl]methyl}oxy)quinazolin-4-amine	N N CI
210	N-(3,4-dichlorophenyl)-7-[({4-[(4-methyl-1,4-diazepan-1-yl)methyl]-1,3-thiazol-2-yl}methyl)oxy]-6-(methyloxy)quinazolin-4-amine	N N CI
211	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- {[(phenylmethyl)oxy]methyl}-1,2,4-oxadiazol- 3-yl)methyl]oxy}quinazolin-4-amine	N_N CI
212	N-(3,4-dichlorophenyl)-7-{[(4-ethylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI
213	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- piperidin-4-yl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	HN CI
214	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (1-methylpiperidin-4-yl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	S N CI
215	1,1-dimethylethyl 4-[5-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,2,4-oxadiazol-3-yl]piperazine-1-carboxylate	HN-CI N-ON-N-N-CI

217	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(3- piperazin-1-yl-1,2,4-oxadiazol-5- yl)methyl]oxy}quinazolin-4-amine	HN CI
218	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[3- (4-methylpiperazin-1-yl)-1,2,4-oxadiazol-5- yl]methyl}oxy)quinazolin-4-amine	HN-CI N-ON-ON-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N
219	N-(3,4-dichlorophenyl)-7-({[5-(1- ethylpiperidin-2-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN-CI N-N CI
220	N-(3,4-dichlorophenyl)-7-({[3-(4- ethylpiperazin-1-yl)-1,2,4-oxadiazol-5- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—CI N—N—N—CI
221	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({5- [4-(methyloxy)phenyl]-1,2,4-oxadiazol-3- yl}methyl)oxy]quinazolin-4-amine	HN-CI CI
222	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({2- [4-(trifluoromethyl)phenyl]-1,3-thiazol-4- yl}methyl)oxy]quinazolin-4-amine	F F O HN CI
223	7-({[2-(4-chlorophenyl)-1,3-thiazol-4- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	S N CI
224	N-(3,4-dichlorophenyl)-7-({[5-(3,5-dimethylisoxazol-4-yl)-1,2,4-oxadiazol-3-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	N CI
225	7-{[(5-chloro-1-benzothien-3-yl)methyl]oxy}- N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI CI

226	N-(3,4-dichlorophenyl)-7-[({3-[4-(1,1-dimethylethyl)phenyl]-1,2,4-oxadiazol-5-yl}methyl)oxy]-6-(methyloxy)quinazolin-4-amine	-0 HN-CI
227	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({5- [2-(methyloxy)phenyl]-1,2,4-oxadiazol-3- yl}methyl)oxy]quinazolin-4-amine	HN-CI N-N-CI
228	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[5- (4-methylphenyl)-1,3,4-oxadiazol-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI N-N CI
229	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[1- (phenylmethyl)-1H-imidazol-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI
230	N-(3,4-dichlorophenyl)-7-({[3-(2,6-dichlorophenyl)-5-methylisoxazol-4-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	HN—CI N CI CI
231	N-(3,4-dichlorophenyl)-7-{[(6-fluoro-4H-1,3- benzodioxin-8-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI N—N—CI
232	7-{[(3,5-dibromophenyl)methyl]oxy}-N-(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine	Br N CI
233	N-(3,4-dichlorophenyl)-7-{[(2,6- difluorophenyl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	F O HN CI
234	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({3- [(pyridin-2-ylsulfonyl)methyl]-1,2,4-oxadiazol- 5-yl}methyl)oxy]quinazolin-4-amine	HN—CI

<u> </u>		
235	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- phenyl-1,2,4-oxadiazol-3- yl)methyl]oxy}quinazolin-4-amine	HN-CI N-N-CI
236	7-({[4-chloro-2-(trifluoromethyl)quinolin-6- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	F N CI N CI
237	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[2- (1-methylpyrrolidin-2-yl)ethyl]oxy}quinazolin- 4-amine	N O HN CI
238	N-(3,4-dichlorophenyl)-7-({[5-(1- ethylpiperidin-4-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	N
239	N-(3,4-dichlorophenyl)-7-({[5-(1- ethylpiperidin-3-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	-0 HN-CI
240	N-(3,4-dichlorophenyl)-7-({[2- (dimethylamino)-1,3-thiazol-4-yl]methyl}oxy)- 6-(methyloxy)quinazolin-4-amine	HN—CI N—N—CI
241	N-(3,4-dichlorophenyl)-7-{[(4-ethyl-1,4- oxazepan-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N CI
242	N-(3,4-dichlorophenyl)-7-({[2-(1- ethylpiperidin-4-yl)-1,3-thiazol-4- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	N CI CI CI
243	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({3- [(2S)-pyrrolidin-2-yl]-1,2,4-oxadiazol-5- yl}methyl)oxy]quinazolin-4-amine	NH O HN CI

244	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({2- [(2S)-pyrrolidin-2-yl]-1,3-thiazol-4- yl}methyl)oxy]quinazolin-4-amine	NH -O HN CI
245	[4-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-1,3- thiazol-2-yl]methyl benzoate	S N CI
246	[4-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-1,3- thiazol-2-yl]methanol	HO N CI
247	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5-methyl-4,5,6,7-tetrahydro[1,3]thiazolo[5,4-c]pyridin-2-yl)methyl]oxy}quinazolin-4-amine	HN CI
248	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({2- [(4S)-1,3-thiazolidin-4-yl]-1,3-thiazol-4- yl}methyl)oxy]quinazolin-4-amine	S NH O HN CI
249	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- piperidin-2-yl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	S N CI
250	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (1-methylpiperidin-2-yl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	HN—CI
251	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- piperidin-3-yl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	HN—CI
252	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (1-methylpiperidin-3-yl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	HN-CI SN CI

253	N-(3,4-dichlorophenyl)-7-({[2-(1- ethylpiperidin-2-yl)-1,3-thiazol-4- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN-CI SNOCI
254	N-(3,4-dichlorophenyl)-7-({[2-(1- ethylpiperidin-3-yl)-1,3-thiazol-4- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	N -O HN-CI
255	N-(3,4-dichlorophenyl)-7-[({3-[(2S)-1- ethylpyrrolidin-2-yl]-1,2,4-oxadiazol-5- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN-CI N-ON-N-N-CI
256	N-(3,4-dichlorophenyl)-7-[({2-[(2S)-1- ethylpyrrolidin-2-yl]-1,3-thiazol-4- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—Ci
257	N-(3,4-dichlorophenyl)-7-{[(5-ethyl-4,5,6,7-tetrahydro[1,3]thiazolo[5,4-c]pyridin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN CI
258	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- propyl-1,4-oxazepan-2- yl)methyl]oxy}quinazolin-4-amine	N—N—N—CI
259	7-({[4-(cyclopropylmethyl)-1,4-oxazepan-2-yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6-(methyloxy)quinazolin-4-amine	N CI CI CI
260	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [2-(methyloxy)ethyl]-1,4-oxazepan-2- yl}methyl)oxy]quinazolin-4-amine	HN—CI N—N CI
261	N-(3,4-dichlorophenyl)-7-({[4-(1-methylethyl)- 1,4-oxazepan-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN—CI

262	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(2- piperazin-1-yl-1,3-thiazol-4- yl)methyl]oxy}quinazolin-4-amine	HN CI
263	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(5- pyrrolidin-2-yl-1,2,4-oxadiazol-3- yl)methyl]oxy}quinazolin-4-amine	HN—CI
264	N-(3,4-dichlorophenyl)-7-({[5-(1- ethylpyrrolidin-2-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	HN—CI CI N—N—CI
265	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({3- [(2S)-1-methylpyrrolidin-2-yl]-1,2,4-oxadiazol- 5-yl}methyl)oxy]quinazolin-4-amine	HN—CI
266	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({2- [(2S)-1-methylpyrrolidin-2-yl]-1,3-thiazol-4- yl}methyl)oxy]quinazolin-4-amine	HN—CI
267	N-(3,4-dichlorophenyl)-7-({[2-(4- ethylpiperazin-1-yl)-1,3-thiazol-4- yl]methyl}oxy)-6-(methyloxy)quinazolin-4- amine	N N N CI
268	N-(3,4-dichlorophenyl)-7-{[(1,4- dimethylpiperazin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI
269	7-{[(4-cyclopentylmorpholin-2-yl)methyl]oxy}- N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI N—N CI
270	N-(3,4-dichlorophenyl)-7-({[4-(1- methylethyl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN—CI

N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (3-phenylpropyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI
N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [2-(methyloxy)ethyl]morpholin-2- yl}methyl)oxy]quinazolin-4-amine	-O -O HN CI
ethyl 2-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]propanoate	HN—CI
N-(3,4-dichlorophenyl)-7-{[(4-hex-5-en-1- ylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	
2-({2-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4- yl]ethyl}oxy)ethanol	HO N CI
methyl 3-[2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]propanoate	
6-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]hexanenitrile	N= -0 HN -CI
N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (tetrahydro-2H-pyran-2-ylmethyl)morpholin- 2-yl]methyl}oxy)quinazolin-4-amine	HN—CI
4-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]butanenitrile	N= N CI
	(3-phenylpropyl)morpholin-2-yl]methyl}oxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[(4-[2-(methyloxy)ethyl]morpholin-2-yl]methyl)oxy]quinazolin-4-amine ethyl 2-[2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)morpholin-4-yl]propanoate N-(3,4-dichlorophenyl)-7-{[(4-hex-5-en-1-ylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine 2-({2-[2-([[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)morpholin-4-yl]ethyl}oxy)ethanol methyl 3-[2-([[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)morpholin-4-yl]propanoate 6-[2-({[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)morpholin-4-yl]hexanenitrile N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4-(tetrahydro-2H-pyran-2-ylmethyl)morpholin-2-yl]methyl}oxy)quinazolin-4-amine

280	N-(3,4-dichlorophenyl)-7-[({4-[(4-fluorophenyl)methyl]morpholin-2-yl}methyl)oxy]-6-(methyloxy)quinazolin-4-amine	F-\(\)_\(\)_\(\)_\(\) \(\)_\(\) \(\)_\(\) \(\)_\(\)\(\)
281	methyl 5-[2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]pentanoate	$0 = \left(\begin{array}{c} -0 \\ N \end{array} \right) \left(\begin{array}{c} +1 \\ N \end{array} \right) \left(\begin{array}{c} -1 \\ N \end{array} \right) $
282	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- oct-7-en-1-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N-N-CI
283	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- propylmorpholin-2-yl)methyl]oxy}quinazolin- 4-amine	N—N—N—CI
284	6-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]hexan-1-ol	OH O N CI
285	7-{[(4-acetylmorpholin-2-yl)methyl]oxy}-N- (3,4-dichlorophenyl)-6-(methyloxy)quinazolin- 4-amine	HN—CI
286	7-({[4-(cyclopropylmethyl)morpholin-2- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
287	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- prop-2-yn-1-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N—O HN—CI
288	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pyridin-4-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N CI CI

289	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (pyridin-2-ylmethyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI
290	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pent-2-yn-1-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI
291	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (4-methylpiperazin-1-yl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	N N N CI
292	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[5- (1-methylpyrrolidin-2-yl)-1,2,4-oxadiazol-3- yl]methyl}oxy)quinazolin-4-amine	HN—CI
293	N-(3-chloro-4-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—F N CI
294	7-{[(4-butyl-1,4-oxazepan-2-yl)methyl]oxy}-N- (3,4-dichlorophenyl)-6-(methyloxy) quinazolin-4-amine	CI C
295	(3,4-dichlorophenyl)[7-(methyloxy)-6-({[4-(2-methylpropyl)-1,4-oxazepan-2-yl]methyl}oxy) quinazolin-4-amine	HN CI
296	7-{[(4-acetyl-1-ethylpiperazin-2- yl)methyl]oxy}-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
297	(3,4-dichlorophenyl)(6-(methyloxy)-7-{[(4- pentyl-1,4-oxazepan-2-yl)methyl]oxy} quinazolin-4-amine	HN—CI N—N—N

298	(3,4-dichlorophenyl)[6-(methyloxy)-7-({[4- (tetrahydro-2H-pyran-2-ylmethyl)-1,4- oxazepan-2-yl]methyl}oxy)quinazolin-4- amine	N CI CI N N N N N N N N N N N N N N N N
299	(3,4-dichlorophenyl)[6-(methyloxy)-7-({[4-(3-thienylmethyl)-1,4-oxazepan-2-yl]methyl}oxy) quinazolin-4-amine	S HN CI
300	N-[4-chloro-2,5-bis(methyloxy)phenyl]-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————
301	N-(3-bromo-2-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————
302	7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)-N-(3,4,5- trichlorophenyl)quinazolin-4-amine	HN—CI N—N CI
303	N-(3-chloro-2 methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—N—N—CI
304	N-(3,4-dichlorophenyl)-7-{[(4-ethanimidoyl- 1,4-oxazepan-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN O HN CI
305	N-(4-bromo-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O—HN—Br
306	N-(5-chloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—N F

307	N-(4-chloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N- N- N- F
308	N-(2,4-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O—N—N—CI
309	N-(2,4-dibromophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————
310	7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)-N-(2,3,4- trichlorophenyl)quinazolin-4-amine	CI CI CI NUMBER OF CITY OF CIT
311	N-(3,4-dichlorophenyl)-7-{[(1-ethyl-4- methylpiperazin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI N—N—CI
312	N'-cyano-2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7- yl]oxy}methyl)morpholine-4-carboximidamide	N N −O HN ←CI N CI
313	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[2- (pyrrolidin-1-ylmethyl)-1,3-thiazol-4- yl]methyl}oxy)quinazolin-4-amine	HN-CI NN CI
314	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (tetrahydro-2H-pyran-4-yl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	N—————————————————————————————————————
315	N-(3,4-dichlorophenyl)-7-({[4-(2- ethylbutyl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	N—N—N—CI

316	7-({[4-(cyclohexylmethyl)morpholin-2- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
317	2-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]ethanol	HO —O HN—CI
318	7-{[(4-but-2-yn-1-ylmorpholin-2- yl)methyl]oxy}-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
319	7-{[(4-cyclobutylmorpholin-2-yl)methyl]oxy}- N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
320	N-(3,4-dichlorophenyl)-7-[({4-[2-(1,3- dioxolan-2-yl)ethyl]morpholin-2- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI
321	7-({[4-(2-cyclohexylethyl)morpholin-2- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
322	N-(3,4-dichlorophenyl)-7-[({4-[2-(1,3-dioxan- 2-yl)ethyl]morpholin-2-yl}methyl)oxy]-6- (methyloxy)quinazolin-4-amine	N N CI
323	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- pent-4-en-1-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N—O—N—N—CI
324	N-(3,4-dichlorophenyl)-7-[({4-[(2R)-2- methylbutyl]morpholin-2-yl}methyl)oxy]-6- (methyloxy)quinazolin-4-amine	HN-CI

CI
·CI
CI
CI
CI
CI
CI CI
CI CI
CI

	r	
334	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- prop-2-en-1-ylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI N—N CI
335	2-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]-1- phenylethanone	HN—CI
336	N-(3,4-dichlorophenyl)-7-({[4-(2-fluoroethyl)morpholin-2-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	F O HN CI
337	N-(3,4-dichlorophenyl)-7-({[4-(3-methylbut-2- en-1-yl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN—CI
338	7-[({4-[(2E)-3-bromoprop-2-en-1- yl]morpholin-2-yl}methyl)oxy]-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	Br————————————————————————————————————
339	2-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]acetamide	
340	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [3-(tetrahydro-2H-pyran-2-yloxy)propyl]-1,4- oxazepan-2-yl}methyl)oxy]quinazolin-4- amine	HN-CI N-N-CI
341	N-(3,4-dichlorophenyl)-7-({[4-(3-methylbutyl)- 1,4-oxazepan-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN-CI N-N CI
342	7-({[4-(cyclohexylmethyl)-1,4-oxazepan-2- yl]methyl}oxy)-4-[(3,4-dichlorophenyl)methyl]- 6-(methyloxy)quinazoline	O CI
342	yl]methyl}oxy)-4-[(3,4-dichlorophenyl)methyl]-	N CI

343	7-({[4-(2-cyclohexylethyl)-1,4-oxazepan-2- yl]methyl}oxy)-4-[(3,4-dichlorophenyl)methyl]- 6-(methyloxy)quinazoline	CI N CI
345	N-(3,4-dichlorophenyl)-7-({[4-(2-ethylbutyl)- 1,4-oxazepan-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN-CI CI
346	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (methylsulfonyl)-1,4-oxazepan-2- yl]methyl}oxy)quinazolin-4-amine	OFS OF ON CI
347	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (1-methylpiperidin-4-yl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	N - O HN - CI
348	N-(3-chloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N-N-N-CI
349	N'-cyano-2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,4- oxazepane-4-carboximidamide	$ \begin{array}{c c} N & & & \\ N & $
350	N-(3-bromo-4-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N- N- N- N- N- N- N- N- Br
351	N-(3,4-dichlorophenyl)-7-{[(1,4- diethylpiperazin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI N—N—CI
352	4-({[4-[(4-bromo-2-fluorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-N'- cyanopiperidine-1-carboximidamide	$NC-N$ H_2N N N N N N N N N N

.

353	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (methylsulfonyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	OZSZO -O HN-CI
354	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [(phenylmethyl)sulfonyl]morpholin-2- yl}methyl)oxy]quinazolin-4-amine	O'S'O -O HN-CI
355	N-(3,4-dichlorophenyl)-7-[({4-[(4- fluorophenyl)sulfonyl]morpholin-2- yl}methyl)oxy]-6-(methyloxy)quinazolin-4- amine	HN—CI
356	N-(3,4-dichlorophenyl)-7-({[4- (ethylsulfonyl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	OSSO O HIN-CI
357	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (phenylsulfonyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	OF NO CI
358	7-[({4-[(3-chloropropyl)sulfonyl]morpholin-2-yl}methyl)oxy]-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	CI————————————————————————————————————
359	7-({[4-(butylsulfonyl)morpholin-2- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	O'S'N O HN CI
360	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[({4- [(4-methylphenyl)sulfonyl]morpholin-2- yl}methyl)oxy]quinazolin-4-amine	OS NO CI
361	N-(3,4-dichlorophenyl)-7-[({4-[(3,5-dimethylisoxazol-4-yl)carbonyl]morpholin-2-yl}methyl)oxy]-6-(methyloxy)quinazolin-4-amine	N-O HN-CI

		· · · · · · · · · · · · · · · · · · ·
362	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- {[3-(methyloxy)phenyl]acetyl}morpholin-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI
363	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (2-methylpentanoyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	O HN CI
364	7-[({4-[(4-butylphenyl)carbonyl]morpholin-2-yl}methyl)oxy]-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
365	7-[({4-[(4-chlorophenyl)acetyl]morpholin-2- yl}methyl)oxy]-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI N—N—CI N—N—CI
366	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (2-propylpentanoyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	0 HN CI
367	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (4-methylpentanoyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	O HN CI
368	N-(3,4-dichlorophenyl)-7-[({4-[(2,5-difluorophenyl)carbonyl]morpholin-2-yl}methyl)oxy]-6-(methyloxy)quinazolin-4-amine	F O O HN CI
369	7-({[4-(cyclopentylcarbonyl)morpholin-2- yl]methyl}oxy)-N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	HN—CI
370	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (2-phenylbutanoyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN—CI N—N—CI
$\overline{}$	· · · · · · · · · · · · · · · · · · ·	**************************************

371	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-[((4- [(2,3,6-trifluorophenyl)carbonyl]morpholin-2- yl}methyl)oxy]quinazolin-4-amine	F F O O HN-CI
372	N-(3,4-dichlorophenyl)-7-({[4-(furan-3- ylcarbonyl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	HN—CI
373	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[(4- propanoylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	0=\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
374	N-(3,4-dichlorophenyl)-7-{[(4- hexanoylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—CI
375	N-(3,4-dichlorophenyl)-7-({[4-(2- ethylhexanoyl)morpholin-2-yl]methyl}oxy)-6- (methyloxy)quinazolin-4-amine	
376	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (3-phenylpropanoyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN-Ci N-N-Ci
377	N-(3,4-dichlorophenyl)-7-({[4-(2,2-dimethylpropanoyl)morpholin-2-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	O HN CI
378	N-(3,4-dichlorophenyl)-6-(methyloxy)-7-({[4- (naphthalen-1-ylcarbonyl)morpholin-2- yl]methyl}oxy)quinazolin-4-amine	HIN-CI N-N CI
379	7-[({4-[(2-chloropyridin-3- yl)carbonyl]morpholin-2-yl}methyl)oxy]-N- (3,4-dichlorophenyl)-6-(methyloxy)quinazolin- 4-amine	

380	7-[({4-[(6-chloropyridin-3- yl)carbonyl]morpholin-2-yl}methyl)oxy]-N- (3,4-dichlorophenyl)-6-(methyloxy)quinazolin- 4-amine	CI—N=OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO
381	7-({[4-(1,3-benzodioxol-5- ylcarbonyl)morpholin-2-yl]methyl}oxy)-N-(3,4- dichlorophenyl)-6-(methyloxy)quinazolin-4- amine	HN—CI
382	N-(3,4-dichlorophenyl)-6-[(1- methylethyl)oxy]-7-[(morpholin-2- ylmethyl)oxy]quinazolin-4-amine	HN————————————————————————————————————
383	N-(3,4-dichlorophenyl)-6-{[2- (methyloxy)ethyl]oxy}-7-[(morpholin-2- ylmethyl)oxy]quinazolin-4-amine	HN CI
384	N-(3,4-dichlorophenyl)-6-(ethyloxy)-7- [(morpholin-2-ylmethyl)oxy]quinazolin-4- amine	HN—OHN—CI
385	N-(3,4-dichlorophenyl)-6-(ethyloxy)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}quinazolin-4-amine	HN-CI N-N CI
386	N-(4-bromo-2-methylphenyl)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—Br
387	N-(4-chloro-3-methylphenyl)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	N—————————————————————————————————————
388	N'-cyano-2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7-yl]oxy}methyl)-N- methylmorpholine-4-carboximidamide	HN —O HN —CI

N-(4-bromo-3-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	-O HN-Br
N-(3,4-dichlorophenyl)-6-[(1- methylethyl)oxy]-7-{[(4-methylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N CI
N-(3,4-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6-{[2- (methyloxy)ethyl]oxy}quinazolin-4-amine	N CI
N-(4-bromo-2-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O———————————————————————————————————
7-{[(4-acetyl-1,4-oxazepan-2-yl)methyl]oxy}- N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine	N CI
4-[(3,4-dichlorophenyl)amino]-7-{[(4-methylmorpholin-2-yl)methyl]oxy}quinazolin-6-ol	N— HO HN— CI
N-(3-bromo-4-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O—HN—CI N—N Br
3-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]-3-oxopropanoic acid	
methyl 4-[2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7- yi]oxy}methyl)morpholin-4-yl]-4-oxobutanoate	N—N—CI
	methylmorpholin-2-yl)methyl]oxy]-6- (methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-6-[(1- methylethyl)oxy]-7-{[(4-methylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6-{[2- (methyloxy)ethyl]oxy}quinazolin-4-amine N-(4-bromo-2-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine 7-{[(4-acetyl-1,4-oxazepan-2-yl)methyl]oxy}- N-(3,4-dichlorophenyl)-6- (methyloxy)quinazolin-4-amine 4-[(3,4-dichlorophenyl)amino]-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-quinazolin- 6-ol N-(3-bromo-4-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine 3-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl]-3-oxopropanoic acid methyl 4-[2-({[4-[(3,4-dichlorophenyl)amino]-6- methyl 4-[2-({[4-[(4-[(4-[(4-[4-[4-[4-[4-[4-[4-[4-[4-[4-[4-[4-[4-[4

398	N-(3,4-dichlorophenyl)-7-{[(4- methylmorpholin-3-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N CI
399	N-(3-bromo-2-chlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	CI Br
400	N'-cyano-2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7-yl]oxy}methyl)-N- [2-(methyloxy)ethyl]morpholine-4- carboximidamide	NH -O HN CI
401	N'-cyano-2-({[4-[(3,4-dichlorophenyl)amino]- 6-(methyloxy)quinazolin-7-yl]oxy}methyl)-N- ethylmorpholine-4-carboximidamide	HN-N-O-CI
402	[(1E)-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl](piperidin-1- yl)methylidene]cyanamide	N N CI
403	[(1E)-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy}methyl)morpholin-4-yl](pyrrolidin-1- yl)methylidene]cyanamide	N N CI
404	[(1E)-[2-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7- yl]oxy)methyl)morpholin-4-yl](4- methylpiperazin-1-yl)methylidene]cyanamide	N CI N CI
405	N-(3,4-dichlorophenyl)-7-{[(6-ethyl-4,6-dimethylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—CI
406	N-(4-bromo-3-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————

N-(3,4-dichlorophenyl)-7-{[(6,6-dimethylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN————————————————————————————————————
N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(4,6,6-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N-O-N-N-CI
N-(3,4-dichlorophenyl)-7-{[2-(5,5-dimethylmorpholin-2-yl)ethyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN CI
N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[2- (4,5,5-trimethylmorpholin-2- yl)ethyl]oxy}quinazolin-4-amine	-N CI
1,1-dimethylethyl 2-(2-{[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}ethyl)-5,5-dimethylmorpholine-4-carboxylate	HN—CI
N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N-N-CI
N-(4-bromo-2,3-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————
N-(4,5-dichloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N F CI
N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[2- (4,6,6-trimethylmorpholin-2- yl)ethyl]oxy}quinazolin-4-amine	-N CI
	dimethylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(4,6,6-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine N-(3,4-dichlorophenyl)-7-{[2-(5,5- dimethylmorpholin-2-yl)ethyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(3,4-dichlorophenyl)-6-(methyloxy)-7-{[2-(4,5,5-trimethylmorpholin-2- yl)ethyl]oxy}quinazolin-4-amine 1,1-dimethylethyl 2-(2-{[4-[(3,4- dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}ethyl)-5,5- dimethylmorpholine-4-carboxylate N-(3,4-dichlorophenyl)-6-(methyloxy)-7- {[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine N-(4-bromo-2,3-dichlorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine N-(4,5-dichloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine

416	N-(4-bromo-2,3-difluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N F F
417	N-(4-bromo-2,5-difluorophenyl)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6-(methyloxy)quinazolin-4-amine	HN—Br
418	N-(4-bromo-3,5-difluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br N—N F
419	N-(3,4-dichloro-2-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—————————————————————————————————————
420	N-(3,4-dichlorophenyl)-7-({[(2R,5S,6S)-5,6-dimethylmorpholin-2-yl]methyl}oxy)-6-(methyloxy)quinazolin-4-amine	HN————————————————————————————————————
421	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- ({[(2R,5S,6S)-4,5,6-trimethylmorpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN-CI
422	N-(3,4-dichlorophenyl)-6-(methyloxy)-7- ({[(2S,5S,6S)-4,5,6-trimethylmorpholin-2- yl]methyl}oxy)quinazolin-4-amine	HN-CI N-N CI
423	N-(4-bromo-3-chloro-2-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O—HN—Br
424	N-(4-bromo-5-chloro-2-fluorophenyl)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N—O—N—N F

425	N-(4-bromo-3-chloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N F CI
426	N-(3,4-dichloro-2-fluorophenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N F CI
427	N-(3-chloro-2,4-difluorophenyl)-7-{[(4-methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	N F CI
428	N-(2,3-dichloro-4-methylphenyl)-7-{[(4- methylmorpholin-2-yl)methyl]oxy}-6- (methyloxy)quinazolin-4-amine	CI CI NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
429	6-({[4-[(3,4-dichlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]oxy}methyl)-3,3,4- trimethylmorpholin-2-one	HN-CI N-N-CI
430	N-(4-bromo-2,3-dichlorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N—N—N—N—N—Br
431	N-(4-bromo-5-chloro-2-fluorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N—N F
432	N-(4,5-dichloro-2-fluorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI
433	N-(3,4-dichloro-2-fluorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	HN—CI

434	N-(4-bromo-3-chloro-2-fluorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N F CI
435	N-(3-chloro-2,4-difluorophenyl)-6- (methyloxy)-7-{[(4,5,5-trimethylmorpholin-2- yl)methyl]oxy}quinazolin-4-amine	N-N-F CI
436	(6S)-6-({[4-[(4-bromo-3-chloro-2- fluorophenyl)amino]-6-(methyloxy)quinazolin- 7-yl]oxy}methyl)-4-methylpiperazin-2-one	NH O HN F CI
437	(6S)-6-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-4-methylpiperazin-2-one	NH O HN F CI
438	(6S)-6-({[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,4-dimethylpiperazin-2-one	ON HN F CI
439	(6S)-6-({[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy}methyl)-1,4-dimethylpiperazin-2-one	ON F CI
440	N-(4-bromo-3-chlorophenyl)-7- {[(3a'S,4R,6'S,6a'R)-2,2- dimethyltetrahydrospiro[1,3-dioxolane-4,3'- furo[3,2-b]furan]-6'-yl]oxy}-6- (methyloxy)quinazolin-4-amine	HN—Br OOH
441	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-5-C- [(methyloxy)methyl]-L-glucitol	HN—Br CI
442	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O- (methylsulfonyl)-L-glucitol	S-O HO N CI

443	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-L-glucitol	HO HI O N CI
444	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-S-methyl-5- thio-D-iditol	S'H'O N CI
445	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- morpholin-4-yl-D-iditol	Nu CI NU CI
446	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2-(4- methylpiperazin-1-yl)-D-iditol	N H N CI
447	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- pyrrolidin-1-yl-D-iditol	N' H' O N CI
448	2-O-acetyl-1,4:3,6-dianhydro-5-O-[4-[(4- bromo-3-chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-D-iditol	O O H O O O O O O O O O O O O O O O O O
449	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-D-iditol	HO'HO NO CI
450	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- (methylsulfonyl)-D-iditol	O=Sun Hill N CI
451	2-amino-1,4:3,6-dianhydro-5-O-[4-[(4-bromo- 3-chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-D-iditol	H ₂ N', I, O HN CI

	· · · · · · · · · · · · · · · · · · ·	
452	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- (dimethylamino)-D-iditol	Nun Hi O HN CI
453	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- (diethylamino)-D-iditol	N'''H'O N CI
454	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- piperidin-1-yl-D-iditol	N''' H''O' HN CI
455	2-(acetylamino)-1,4:3,6-dianhydro-5-O-[4-[(4- bromo-3-chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-D-iditol	HN—Br N—N CI
456	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-O-methyl-5-C- (trifluoromethyl)-L-glucitol	F F H O N CI
457	1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-2-deoxy-2- [(methylsulfonyl)amino]-D-iditol	OS NH HO N CI
458	N-(4-bromo-3-chlorophenyl)-6-(methyloxy)-7- [(1-methylpyrrolidin-3-yl)oxy]quinazolin-4- amine	HN—Br CI
459	N-(4-bromo-3-chlorophenyl)-6-(methyloxy)-7- [(3R)-tetrahydrofuran-3-yloxy]quinazolin-4- amine	HN—Br CI
460	N-(4-bromo-3-chlorophenyl)-6-(methyloxy)-7- {[(3S,4R)-4-(methyloxy)tetrahydrofuran-3- yl]oxy}quinazolin-4-amine	HN—Br

461	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-(6- (methyloxy)-4-{[4-(4-methylpiperazin-1- yl)phenyl]amino}quinazolin-7-yl)-D-iditol	F" HN N N N N N N N N N N N N N N N N N N
462	1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4- {[3-fluoro-4-(4-methylpiperazin-1- yl)phenyl]amino}-6-(methyloxy)quinazolin-7- yl]-D-iditol	F''H'O N F
463	1,4:3,6-dianhydro-2-deoxy-5-O-[4-{[2,3-dichloro-4-(4-methylpiperazin-1-yl)phenyl]amino}-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-iditol	F'' H'' O H N N N N N N N N N N N N N N N N N N
464	1,4:3,6-dianhydro-2-deoxy-5-O-[4-{[3,4- dichloro-2-(4-methylpiperazin-1- yl)phenyl]amino}-6-(methyloxy)quinazolin-7- yl]-2-fluoro-D-iditol	F'' H'O N N N N N N N N N N N N N N N N N N N
465	1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3- chlorophenyl)amino]-6- (methyloxy)quinazolin-7-yl]-5-C- (trifluoromethyl)-D-glucitol	HO,,, O H O HN CI
466	(3,4-dichlorophenyl)[6-(methyloxy)-7-({[4- (tetrahydrofuran-2-ylmethyl)-1,4-oxazepan-2- yl]methyl}oxy)quinazolin -4-amine	HN—CI

- 58. A pharmaceutical composition comprising a compound according to any one of claims 1-57 and a pharmaceutically acceptable carrier.
- 59. A metabolite of the compound or the pharmaceutical composition according to any one of claims 1-58.
- 60. A method of modulating the *in vivo* activity of a kinase, the method comprising administering to a subject an effective amount of the compound or the pharmceutical composition according to any of claims 1-58.
- 61. The method according to claim 60, wherein the kinase is selected from ephrin and EGFR.

62. A method of modulating the *in vivo* activity of a plurality of kinases, the method comprising administering to a subject an effective amount of the compound or the pharmceutical composition according to any of claims 1-58.

- 63. The method according to claim 62, wherein the plurality of kinases comprises at least one of ephrin and EGFR.
- 64. The method according to claim 61, wherein modulating the *in vivo* activity of the kinase comprises inhibition of said kinase.
- 65. The method according to claim 63, wherein modulating the *in vivo* activity of the plurality of kinases comprises inhibition of at least one of ephrin and EGFR.
- 66. A method of treating a disease or a disorder associated with at least one of uncontrolled cellular activities, abnormal cellular activities, and unwanted cellular activities; the method comprising administering, to a mammal in need thereof, a therapeutically effective amount of the compound or the pharmceutical composition as described in any one of claims 1-58.